

**GAUNGZOU EASIMFE INDUSTRIALCO.,LTD  
MATERIAL SAFETY DATA SHEET**

|                                  |  |                                  |
|----------------------------------|--|----------------------------------|
| <b>Brand &amp; Product Name:</b> | Art Extravagance- Crackle Paste, Texture Paste |                                  |
| <b>Product Code:</b>             |  |                                  |
| <b>Page 1 of 8</b>               | <b>Issue Number: 20150308</b>                  | <b>Issue Date: Mar., 10,2017</b> |

**1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER**

**Product Name:** Art Extravagance- Crackle Paste, Texture Paste  
**Colors:** #961473, 961480, 961497, 961503, 961510, 961527, 961534, 961541, 961558, 963002  
**Recommended Use:** Paint/Drawing on Canvas, Paper, Wood, Porcelain

**2. HAZARDS IDENTIFICATION**

**Based on available information, the material is:** NON HAZARDOUS ACCORDING TO CLP (EU-GHS)

**Based on available information, the material is:** NOT CLASSIFIED AS DANGEROUS GOODS ACCORDING TO CLP (EU-GHS)

**Hazard category:** N/A  
N/A

**Risk Phrases:**  
(see Approved Criteria for CLP (EU-GHS) )

| <u>Risk Phrase Number</u> | <u>Risk Phrase</u> |
|---------------------------|--------------------|
| R                         |                    |
| R                         |                    |
| R                         |                    |
| R                         |                    |

**Safety Phrases: N/A**  
(see Approved Criteria for CLP (EU-GHS)

| <u>Safety Phrase Number</u> | <u>Safety Phrase</u> |
|-----------------------------|----------------------|
| S                           |                      |
| S                           |                      |
| S                           |                      |
| S                           |                      |

**GAUNGZOU EASIMFE INDUSTRIALCO.,LTD**  
**MATERIAL SAFETY DATA SHEET**

|                                  |  |                                  |
|----------------------------------|--|----------------------------------|
| <b>Brand &amp; Product Name:</b> | Art Extravagance- Crackle Paste, Texture Paste |                                  |
| <b>Product Code:</b>             |  |                                  |
| <b>Page 2 of 8</b>               | <b>Issue Number: 20150308</b>                  | <b>Issue Date: Mar., 10,2017</b> |

**3. COMPOSITION/ INFORMATION ON INGREDIENTS**

| <b>COMPONENTS</b>  | <b>CAS No.</b> | <b>Proportion</b> |
|--|----------------|-------------------|
| Water  | 7732-18-5      | 67.9842           |
| Propylene glycol   | 57-55-6        | 2.5000            |
| Mixture of 5-chloro-2-methyl-isothiazol-3(2H)-one and 2-methylisothiazol-3(2H)-one with magnesium chloride and magnesium nitrate |                | 0.0008            |
| Bronopol   | 52-51-7        | 0.0150            |
| Acrylic Resin  | 9003-49-0      | 25.0000           |
| Pigment  |                | 4.5000            |

**4. FIRST AID MEASURES**

**For advice, contact Poisons Information Centre or a doctor.**

(For each route of exposure provide indication of medical attention and special treatment needed including description of most important symptoms, acute and delayed)

**Inhalation:** Remove patient to fresh air. Keep warm and at rest, in a half upright position. Loosen clothing. Seek medical attention if ill effects occur.

**Skin Contact:** Remove contaminated clothing immediately and drench affected skin with plenty of water. Then wash with soap and water. Seek medical attention if irritation persists.

**Eye Contact:** If substance has got into eyes, immediately wash out with water for at least 15 minutes. Contact physician.

**Ingestion:** If swallowed accidentally, do not induce vomiting and seek medical advice.

**Note to Physician:**

---

**GAUNGZOU EASIMFE INDUSTRIALCO.,LTD  
MATERIAL SAFETY DATA SHEET**

|                                  |  |                                  |
|----------------------------------|--|----------------------------------|
| <b>Brand &amp; Product Name:</b> | Art Extravagance- Crackle Paste, Texture Paste |                                  |
| <b>Product Code:</b>             |  |                                  |
| <b>Page 3 of 8</b>               | <b>Issue Number: 20150308</b>                  | <b>Issue Date: Mar., 10,2017</b> |

**5. FIRE FIGHTING MEASURES**

**Hazards from combustion products:** Aerosols may explode if heated above 50°C Forms hazardous decomposition products CO,CO2

**Precautions for firefighters and special protective equipment:** Keep container(s) exposed to fire cool, by spraying with water In case of fire, do not breathe fumes

**Suitable extinguishing material** foam, carbon dioxide or dry agent

**6. ACCIDENTAL RELEASE MEASURES**

**Emergency procedures:** Shut off all ignition sources  
Ensure adequate ventilation  
Wear suitable protective clothing and gloves.

**Methods and materials for containment and clean up:** Absorb spillage in suitable inert material  
Place in appropriate container

**7. HANDLING AND STORAGE**

**Precautions for safe handling:** (including any incompatibilities)  
Keep away from heat and sources of ignition  
Take precautionary measures against static discharges  
Equipment should be earthed  
Use explosion-proof electrical/ventilating/lighting/.../equipment.  
Use only non-sparking tools.  
Do not breathe aerosols or vapours.  
Ensure adequate ventilation  
Avoid contact with skin and eyes.  
Wash thoroughly after use  
Wear protective gloves/protective clothing/eye protection/face protection.

**Conditions for safe storage:** Pressurized container : protect from sunlight and do not expose to temperatures exceeding 50°C. Keep out of reach of children

**GAUNGZOU EASIMFE INDUSTRIALCO.,LTD  
MATERIAL SAFETY DATA SHEET**

|                                  |  |                                  |
|----------------------------------|--|----------------------------------|
| <b>Brand &amp; Product Name:</b> | Art Extravagance- Crackle Paste, Texture Paste |                                  |
| <b>Product Code:</b>             |  |                                  |
| <b>Page 4 of 8</b>               | <b>Issue Number: 20150308</b>                  | <b>Issue Date: Mar., 10,2017</b> |

**GAUNGZOU EASIMFE INDUSTRIALCO.,LTD  
MATERIAL SAFETY DATA SHEET**

|                                  |  |                                  |
|----------------------------------|--|----------------------------------|
| <b>Brand &amp; Product Name:</b> | Art Extravagance- Crackle Paste, Texture Paste |                                  |
| <b>Product Code:</b>             |  |                                  |
| <b>Page 5 of 8</b>               | <b>Issue Number: 20150308</b>                  | <b>Issue Date: Mar., 10,2017</b> |

**8. EXPOSURE CONTROLS / PERSONAL PROTECTION**

|                                       |   |
|---------------------------------------|---|
| <b>National Exposure Standards:</b>   | N/A   |
| <b>Biological Limit Values:</b>       | N/A   |
| <b>Engineering Controls:</b>          | N/A   |
| <b>Personal Protective Equipment:</b> | Take precautions to avoid contact with skin and eyes when handling the product. |

**9. PHYSICAL AND CHEMICAL PROPERTIES**

|                                     |  |
|-------------------------------------|--|
| <b>Appearance:</b>                  | Color Liquid   |
| <b>Odour:</b>                       | No   |
| <b>pH:</b>                          | 7~9.5  |
| <b>Specific Gravity or Density:</b> | 1.15   |
| <b>Vapour Pressure:</b>             | N/A  |
| <b>Vapour Density:</b>              | N/A  |
| <b>Percent Volatiles:</b>           | N/A  |
| <b>Boiling Point Range:</b>         | 100°C  |
| <b>Freezing/ Melting Point:</b>     | -8°C   |
| <b>Solubility:</b>                  | Soluble in water   |
| <b>Flash Point</b>                  | N/A  |
| <b>(include method detection):</b>  |  |
| <b>Flammability Limits:</b>         | N/A  |
| <b>Ignition Temperature:</b>        | N/A  |
| <b>Shelf Life:</b>                  | 2 years from date of manufacture (when stored as directed) |
| <b>Other:</b>                       |  |

**10. STABILITY AND REACTIVITY**

|  |   |
|--|---|
| <b>Chemical Stability:</b>               | Stable  |
| <b>Conditions to avoid:</b>              | Avoid overheating   |
| <b>Incompatible Materials:</b>           | Strong oxidising agent  |
| <b>Hazardous Decomposition Products:</b> | CO,CO2  |
| <b>Hazardous Reactions:</b>              | No hazardous reactions known if used for its intended purpose |

|  |  |  |
|--|--|--|
| <b>GAUNGZOU EASIMFE INDUSTRIALCO.,LTD<br/>MATERIAL SAFETY DATA SHEET</b> |  |  |
|--|--|--|

|                                  |  |                                  |
|----------------------------------|--|----------------------------------|
| <b>Brand &amp; Product Name:</b> | Art Extravagance- Crackle Paste, Texture Paste |                                  |
| <b>Product Code:</b>             |  |                                  |
| <b>Page 6 of 8</b>               | <b>Issue Number: 20150308</b>                  | <b>Issue Date: Mar., 10,2017</b> |

|                                      |
|--------------------------------------|
| <b>11. TOXICOLOGICAL INFORMATION</b> |
|--------------------------------------|

No adverse health effects expected if the product is handled in accordance with this Safety Data Sheet and the product label. Symptoms or effects that may arise if the product is mishandled and overexposure occurs are:

**HEALTH EFFECTS**

|   |  |
|---|--|
| <b>Ingestion:</b>   | may give rise to nausea, headaches and dizziness |
| <b>Eye Contact:</b>   | Irritating to eyes                               |
| <b>Skin Contact:</b>  | May cause irritation.                            |
| <b>Inhalation:</b>  | N/A  |
| <b>Long term effects:</b>                                       | N/A  |
| <b>Acute Toxicity/ Chronic Toxicity:</b> (ie LD <sub>50</sub> ) | N/A  |

|                                   |
|-----------------------------------|
| <b>12. ECOLOGICAL INFORMATION</b> |
|-----------------------------------|

|                                       |                |
|---------------------------------------|----------------|
| <b>Ecotoxicity:</b>                   | not classified |
| <b>Persistence and Degradability:</b> | not classified |
| <b>Mobility:</b>                      | not classified |
| <b>Other:</b>                         | not classified |

|                                    |
|------------------------------------|
| <b>13. DISPOSAL CONSIDERATIONS</b> |
|------------------------------------|

**Disposal methods:** (including container disposal) This material and its container must be disposed of in a safe way. Do not discharge into drains or the environment, dispose to an authorised waste collection point. Disposal should be in accordance with local, state or national legislation

**Special precautions for landfill or incineration:**

|  |
|--|
| <b>GAUNGZOU EASIMFE INDUSTRIALCO.,LTD</b><br><b>MATERIAL SAFETY DATA SHEET</b> |
|--|

|                                  |  |                                  |
|----------------------------------|--|----------------------------------|
| <b>Brand &amp; Product Name:</b> | Art Extravagance- Crackle Paste, Texture Paste |                                  |
| <b>Product Code:</b>             |  |                                  |
| <b>Page 7 of 8</b>               | <b>Issue Number: 20150308</b>                  | <b>Issue Date: Mar., 10,2017</b> |

|                                  |
|----------------------------------|
| <b>14. TRANSPORT INFORMATION</b> |
|----------------------------------|

**ROAD & RAIL TRANSPORT:** Not classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for transport by road and rail.

**UN Number:** N/A  
**UN Proper Shipping Name:** N/A  
**D.G. Class:** N/A  
**Subsidiary Risk:** N/A  
**Packaging Group:** N/A  
**HAZCHEM Code:** N/A  
**Segregation:** N/A

**Special Precautions For User:**

**MARINE TRANSPORT:** Not classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea.

**UN Number:** N/A  
**UN Proper Shipping Name:** N/A  
**D.G. Class:** N/A  
**Subsidiary Risk:** N/A  
**Packaging Group:** N/A  
**Stowage & Segregation:** N/A

**Special Precautions For User:**

**AIR TRANSPORT:** Not classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) for transport by air.

**UN Number:** N/A  
**UN Proper Shipping Name:** N/A  
**D.G. Class:** N/A  
**Subsidiary Risk:** N/A  
**Packaging Group:** N/A  
**Special Precautions For User:**

**DG ERG Code:** N/A

**GAUNGZOU EASIMFE INDUSTRIALCO.,LTD  
MATERIAL SAFETY DATA SHEET**

|                                  |  |                                  |
|----------------------------------|--|----------------------------------|
| <b>Brand &amp; Product Name:</b> | Art Extravagance- Crackle Paste, Texture Paste |                                  |
| <b>Product Code:</b>             |  |                                  |
| <b>Page 8 of 8</b>               | <b>Issue Number: 20150308</b>                  | <b>Issue Date: Mar., 10,2017</b> |

**15. REGULATORY INFORMATION**

**Poisons Schedule:**

**APVMA Status:**

**TGA Status:**

**AICS Status:** All the constituents of this product are listed on AICS

**AQIS Status:**

**ADG Status:**

**NOHSC Status:**

**Other:**

**16. OTHER INFORMATION.**

**MSDS Issue date:** March 10, 2015

**Issue Number:** 20150306

**Reason for issue:**

In any event, the review and, if necessary, the re-issue of this MSDS shall be no longer than 5 years after the last date of issue.

**Safety, health and environmental regulations/legislation specific for the substance or mixture**

The Safety Data Sheet is compiled according to the current European requirements.

Dir. 2008/47/EC amendment of the aerosol dispenser directive 75/324/EEC.

EU-directive 99/45/EC

Regulation (EC) No 1907/2006 (REACH) Australian Inventory of Chemical Substances

**DG ERG Code** Dangerous Goods Emergency Response Guidebook Code. The Emergency Response Guidebook is used by first responders (eg [firefighters](#), [police officers](#) and [ambulance](#) personnel) when responding to a transportation emergency involving [hazardous materials](#).

**LD<sub>50</sub>** The median lethal [toxicological](#) dose, LD<sub>50</sub> is an abbreviation for "Lethal Dose, 50%". of a toxic substance. This is the [dose](#) required to kill half the members of a tested population.

**MSDS** Material Safety Data Sheet

Short Term Exposure Limit - A 15 minute TWA exposure which should not be exceeded at any time during a working day even if the eight-hour TWA average is within the TWA exposure standard. Exposures at the STEL should not be longer than 15 minutes and should not be repeated more than four times per day. There should be at least 60 minutes between successive exposures at the STEL.

**STEL**

**TGA**

Therapeutic Goods Administration

Threshold Limit Value - TLV is a proprietary name registered by the American Conference of Governmental Industrial Hygienists (ACGIH) and refers to airborne concentrations of substances or levels of physical agents to which it is believed that nearly all workers may be repeatedly exposed day after day without adverse effect.

**TLV**

Time Weighted Average - The average airborne concentration of a particular substance when calculated over a normal eight-hour working day, for a five-day working week.

**TWA**

UN numbers are four-digit numbers that identify [hazardous substances](#), and articles (such as explosives, flammable liquids, toxic substances, etc.) in the framework of international transport.

**UN Number**

**Literature References:**



|  |
|--|
| <b>GAUNGZOU EASIMFE INDUSTRIALCO.,LTD<br/>MATERIAL SAFETY DATA SHEET</b> |
|--|

|                                  |  |                                  |
|----------------------------------|--|----------------------------------|
| <b>Brand &amp; Product Name:</b> | Art Extravagance- Crackle Paste, Texture Paste |                                  |
| <b>Product Code:</b>             |  |                                  |
| <b>Page 9 of 8</b>               | <b>Issue Number: 20150308</b>                  | <b>Issue Date: Mar., 10,2017</b> |

Sources of Data:

**End of MSDS**